

XPand1010

**Not Recommended
for New Designs**

6U VPX Two-Slot Conduction-Cooled Development System

Please see XPand1011

- ▶ Two conduction-cooled 6U VPX slots
- ▶ Integrated heatsink fins
- ▶ Built-in cooling fans
- ▶ ATX power supply input
- ▶ Power and reset switches
- ▶ J1 fabric A, B, C, and D routed between slots
- ▶ J4 RJ-45 Gigabit Ethernet connectors
- ▶ J5 micro-DB-9 serial connectors
- ▶ J6 USB, SATA, and HDMI connectors



XPand1010

The XPand1010 system is a low-cost debug, development, and display platform for conduction-cooled 6U VPX cards. It supports up to two 6U VPX cards, each with direct I/O access via connectors on the backplane.

The XPand1010 backplane provides a high-speed backplane fabric - J1 ports A, B, C, and D are cross-connected between the two VPX slots. Ethernet, RS-232/422 serial, USB, SATA, and DVI signals are routed from each VPX slot to corresponding connectors on the front and rear panels.

The XPand1010's design allows for a compact, stand-alone development platform for X-ES 6U VPX SBCs. The XPand1010 is the ideal solution for rapid prototyping of next generation 6U VPX designs where only a basic stand-alone system is needed.

X-ES

Extreme Engineering Solutions

...Always Fast

Extreme Engineering Solutions

3225 Deming Way, Suite 120 • Middleton, WI 53562

Phone: 608.833.1155 • Fax: 608.827.6171

sales@xes-inc.com • <http://www.xes-inc.com>

Connectors

- Two 6U VPX slots
- ATX power supply connector
- Four RJ-45 Ethernet connectors
- Four USB Type A connectors
- Four eSATA connectors
- Four micro-DB-9 connectors
- Two HDMI connectors
- 16 GPIO LEDs

Utility Functions

- Front panel reset switch
- Front panel power switch
- GPIO LED indicators

Fabric Routing

- J1 fabric A, B, C, D routed between slots

I/O Routing

- J4 GPIO routed to LEDs
- J4 Ethernet routed to RJ-45 connectors
- J5 serial routed to micro-DB-9 connectors
- J6 USB routed to vertical USB connectors
- J6 SATA routed to vertical eSATA connectors
- J6 DVI routed to HDMI connectors

External Power Supply

- ATX power supply

Maximum Power

- 100 W total

